



TITLE OF THE INVENTION

TECHNICAL SUPPORT SYSTEM

BACKGROUND OF THE INVENTION

5 The present invention relates to technical support system for providing technical support to various claims for manufacturer's own products acquired through a worldwide technical service network.

10 In recent years, many enterprises have overseas subsidiaries established as footholds for the marketing of products. In a typical enterprise, the subsidiaries sell products to end-users via, e.g. distributors and dealers. Besides, technical services such as maintenance and repair of products are provided to end-users from the dealers and direct service
15 organizations. Major subsidiaries handle various claims reported directly from the dealers and direct service organizations in their assigned marketing regions, or indirectly from the distributors and subsidiaries. If the major subsidiaries have received
20 claims that cannot be handled, they report such claims to an engineering and service department of the headquarters.

25 The engineering and service department acts as an agent between the subsidiary, which is a customer, and a product technology department of a factory or a third party vender. The engineering and service department demands a solution to the claim reported by the

subsidiary from an engineer in charge in the product technology department. The engineer confirms the content of the claim, studies the cause of the claim, and carries out a supporting task for preparing the solution that can eliminate the cause. The engineering and service department confirms the solution provided by the engineer after the supporting task, produces a claim handling plan based on the solution, so as to meet individual technical support policies varying from market to market, and delivers the claim handling plan to the subsidiary as an answer document to the claim.

In the prior art, the dealers, direct service organizations, distributors, subsidiaries, major subsidiaries, engineering and service department, and product technology department are connected over a dedicated line or the Internet so as to have a hierarchical structure, as shown in FIG. 1. E-mail is used as an information transmission media. In the technical support, each service layer is always required to search databases, etc. to study solutions to claim reports, which have been sent from a lower-level service layer by e-mail. If solutions are not found, each service layer is required to request an upper-level service layer. Thus, arrears of claim reports may possibly occur in an escalation from the lowermost service layer to the uppermost service layer.

Since the main task of the product technology

100002743.032202

department is designing and manufacture of products,
a delay in the supporting task will often occur even if
it receives a request from the engineering and service
depart. In such a situation that the supporting task
5 cannot be started, the supporting task has to be
suspended, or the cause of the claim cannot easily be
identified.

Moreover, the engineering and service department
cannot completely grasp the condition of progress
10 in the delayed supporting tasks, and unsolved claim
reports tend to accumulate. Besides, a solution to
a claim that has arisen in connection with a product is
not necessarily applicable to a similar claim that has
arisen in connection with another product sold in a
15 different market in which different product specifica-
tions are adopted. Thus, the engineering and service
department needs to accept all claim reports from the
subsidiaries that manage different markets.

Under the circumstances, the above-described
20 technical support system will ultimately impose a heavy
load on the engineering and service department and it
would be difficult to fulfill their roles in the future
without increasing the scale thereof.

BRIEF SUMMARY OF THE INVENTION

25 The object of the present invention is to provide
a technical support system capable of quickly solving
claims relating to products.

According to the present invention, there is provided a technical support system comprising:
a service information portal section which provides web pages as an information input and output interface;
5 a knowledge base section which stores various claim reports and solutions answered by engineers with respect to the claim reports; and a claim handling section which registers in the knowledge base section a new claim report in which at least a claim title is
10 structured as a combination of predetermined items of definition information on the basis of a claim content input to a client web page, and manages the registered new claim report as an unsolved claim requiring an answer from the engineer, wherein the claim handling
15 section is configured to determine an engineer who is to take charge of a supporting task for preparing a solution to the new claim report, based on ranks of importance of supporting tasks already assigned to engineers of a division-in-charge, and progress states
20 of the supporting tasks.

According to the technical support system, the claim handling section determines an engineer who is to take charge of the supporting task for preparing a solution to the new claim report, based on the ranks
25 of importance of the supporting tasks already assigned to the engineers of the division-in-charge, and the progress states of these supporting tasks. That is,

10002743.032202
a supporting task having a high rank of importance can
be assigned to the engineer which can quickly start
the supporting task in preference to a supporting task
having a low rank of importance. As a result, the
5 supporting task of a new claim can be prevented from
being delayed regardless of the rank of importance.

Additional objects and advantages of the invention
will be set forth in the description which follows, and
in part will be obvious from the description, or may be
10 learned by practice of the invention. The objects and
advantages of the invention may be realized and
obtained by means of the instrumentalities and
combinations particularly pointed out hereinafter.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING

15 The accompanying drawings, which are incorporated
in and constitute a part of the specification,
illustrate presently an embodiment of the invention,
and together with the general description given above
and the detailed description of the embodiment given
20 below, serve to explain the principles of the
invention.

FIG. 1 is a diagram showing the hierarchical
structure of a conventional technical service;

25 FIG. 2 is a diagram showing the structure of
a technical support system according to an embodiment
of the present invention and a network connected to
the system;

FIG. 3 is a diagram showing the flow of information in the technical support system shown in FIG. 2;

FIG. 4 is a diagram showing an example in which the technical support system shown in FIG. 2 is applied to the conventional hierarchical structure;

FIG. 5 is a flowchart illustrating a reporting process for an unformatted claim such as a claim report issued in a dealer shown in FIG. 4;

FIG. 6 is a diagram showing a synonym table for specifying problem codes in a knowledge base search shown in FIG. 5;

FIG. 7 is a diagram showing a synonym table for specifying unit codes in the knowledge base search shown in FIG. 5;

FIG. 8 is a diagram showing a synonym table for specifying error codes in the knowledge base search shown in FIG. 5;

FIG. 9 is a diagram showing the claim report prepared in the reporting process for unformatted claims shown in FIG. 5;

FIG. 10 is a diagram showing detailed contents of items incorporated in the claim report shown in FIG. 9;

FIG. 11 is a flowchart illustrating a reporting process for a formatted claim such as the claim report shown in FIG. 9;

FIG. 12 is a diagram showing a supporting task table for use in an assignment process of a supporting

10002743.032202

task shown in FIG. 11; and

FIG. 13 is a diagram showing an engineer information table disposed together with the supporting task table shown in FIG. 12.

5 DETAILED DESCRIPTION OF THE INVENTION

A technical support system 1 according to an embodiment of the present invention will now be described with reference to the accompanying drawings. The technical support system 1 is constructed to
10 be also applicable to a hierarchical structure of technical service shown in FIG. 1, and serves as a server disposed in an engineering and service department in Tokyo, for example. This server is connected over the Internet to worldwide major
15 subsidiaries as clients, which serve as sales footholds of products such as copiers and facsimile machines. The server, on behalf of staff of the engineering and service department, functions as an agent between the customer and the product technology department of the
20 factory or third party vender.

FIG. 2 shows the technical support system 1 and a network connected thereto. The technical support system 1 comprises a service information portal (SIP) section 10, a management information system
25 (MIS) section 12, a claim handling (CH) section 14, a knowledge base (KB) section 16, a master database (MDB) section 18, a data warehouse (DWH) section 20,

and a communication interface 22. The SIP section 10, MIS section 12, CH section 14, KB section 16, MDB section 18, DWH section 20 and communication interface 22 for intra-company LAN are constructed as a combination of plural server computers connected, for example, over a shared system bus. The MIS section 12 and CH section 14 are incorporated into the technical support system 1 as application software of the server computers.

The SIP section 10 provides web pages to client terminals 24 over the Internet 26 as an information input and output interface. The MIS section 12 can access the client terminals 24 via the SIP section 10 and it collects and analyzes various report information. The master database 18 stores the overall information collected by the MIS section 12 as well as other information. The DWH section 20 stores an analysis tool for enabling the MIS section 12 to analyze the information stored in the MDB section 18. The KB section 16 stores various claim reports backed up also in the MDB section 18 and solutions answered by engineers of the product technology department with respect to the claim reports. The CH section 14 registers in the KB section 16 a new claim report in which at least a claim title is structured as combinations of predetermined items of definition information on the basis of claims input to the client web page

provided by the SIP section 10. The CH section 14 manages the new claim report as an unsolved claim requiring an answer from engineers.

FIG. 3 shows a flow of information in the technical support system 1. If the client terminal 24, or a web user, issues a claim inquiry, it is delivered to the CH section 14 as a claim report. The CH section 14 checks the KB section 16 for a solution to the claim, and acquires the solution from the KB section 16. If there is no solution, the CH section 14 requests a solution from the product technology department and registers an acquired solution in the KB section 16 as a new solution. At the same time, the CH section 14 informs the client of the new solution as an answer document. The KB section 16 stores not only various reports and solutions thereto, but also country specific information and Tokyo central information supplied from the intra-company LAN. The country specific information includes individual technical support policies varying from market to market, the Tokyo central information includes inside materials and third party materials of related technologies. The CH section 14 is so constructed as to permit an operator working at the engineering and service department to confirm, through a console of the server computer, the current state of support for unsolved claim reports. The MIS section 12 collects various report information

such as warrantee report data, call center data, set-up report data, service parts use data and claim report data, which are accumulated in the client terminal 24 side.

5 FIG. 4 shows an example wherein the technical support system 1 is applied to the conventional hierarchical structure shown in FIG. 1. In this example, the major subsidiaries alone are permitted to access the technical support system 1 via the Internet
10 26. None of the dealers, direct service organizations, distributors and ordinary subsidiaries are permitted to access the technical support system 1. In the dealership, a field serviceman performs, in step ST101, a field service such as maintenance and repair of
15 products. In step ST102, if a work report from the field serviceman is filed after the field service, the work report is analyzed in step ST103. If an emergency situation where a number of identical claims exist is detected, a claim report is issued in step ST104 to
20 the major subsidiary, which is an upper-level service layer.

 In major subsidiaries, an employee confirms, in step ST105, the content of the claim report along with the independently collected various report information
25 such as warrantee report data, call center data, set-up report data, service parts use data and claim report data. Then, the computer operator registers the

confirmed information in the database. In step ST106, the operator checks the database for an existing solution to the claim of the claim report. If it is determined in step ST107 that the solution is present in the database, an answer document based on the solution is sent to the dealer in step ST108. On the other hand, if there is no existing solution, the operator accesses, in step ST109, the technical support system 1 in Tokyo over the Internet 26, which is an upper-level service layer. The claim is reported to the engineering and service department through the client web page, which is provided to the client terminal 24 of the major subsidiary by the technical support system 1.

In the engineering and service department, in step ST110, the technical support system 1 confirms and verifies the content of the claim report. In step ST111, it is checked whether there is a solution to the claim. If it has been determined in step ST112 that the solution is present in the database, an answer document based on this solution is sent to the major subsidiary in step ST113. On the other hand, if the solution is not present, the claim report is escalated to the product technology department at the upper service level in step ST114. In a case where the product technology department comprises, for example, a product planning section, a design and manufacturing

section, and other sections, one of these sections is designated and a solution to the claim is requested therefrom. In FIG. 4, all the steps beginning with step ST110 are carried out within the technical support system 1.

FIG. 5 illustrates a reporting process for an unformatted claim such as a claim report issued in the dealer. This reporting process is a process to be performed within the technical support system 1. If the reporting process is selected on the client web page, the CH section 14 performs, in step ST201, a knowledge base search for confirming the presence of similar claims specified by information available from the claim content input to the client web page in a format close to a natural language, for example, information on product units or problems. In the knowledge base search, product units and problems expressed in various local languages are converted to unit codes, problem codes, and error codes, using synonym tables shown in FIGS. 6, 7, and 8. The KB section 16 is searched on the basis of these codes. If it is determined in step ST202 that a solution to the similar claims is present in the KB section 16, an answer document based on this solution is automatically produced in step ST203 using a response assistance module 14A. In step ST204, the answer document is issued to the major subsidiary. In this case, the

response assistance module 14A produces the answer document so as to meet the technical support policy which differs from market to market. Aside from the above-mentioned synonym tables, it is possible to use tables applicable to cases where different model numbers are assigned to the same models in accordance with different countries. In the synonym tables shown in FIGS. 6 and 7, English and Japanese synonyms are associated. However, these tables may be provided as conversion tables for unifying languages within the system by converting languages such as Japanese or German to English, or a standard language. Thereby, it becomes possible to find a solution to similar claims from major subsidiaries managing other market regions.

On the other hand, if a solution to the similar claims is not present in the KB section 16, a claim report is newly produced in step ST205 using a report assisting module 14B. The claim report is issued in step ST206. The report assisting module 14B automatically incorporates into the claim report the information available from the content of the claim input to the client web page, and requests input of information which is necessary for a study of a solution by the engineer but is lacking. Based on the information input in response to this request, the claim report is formatted. Specifically, as shown in FIG. 9, the production of the claim report requires

information such as a) report source, b) rank of importance, c) claim category, d) claim title, e) claim details, and f) situation.

FIG. 10 shows details of items c, d, e and f incorporated in the claim report. Item c is prepared for searching for similar claims from a claim category on the basis of simple coincidence of keywords and codes, and item c includes a product model, a problem code, a unit code, a cause code and an error code. Item d is prepared for searching for similar claims on the basis of the claim title, and item d is produced as a phrase constructed by combining words indicative of definition information items such as a problem, a position and a cause. Examples of the claim title other than that shown in FIG. 10 are "Dark copy image due to poor adjustment in optical unit", "Abnormal noise from drive gear in fuser unit", and "Breakage of front cover due to poor package material." Item e is prepared for searching for similar claims based on claim details and is produced as a free description including items such as a problem, position/related unit, cause and treatment. Item f is prepared for searching for similar claims based on situations, and it is produced to include a part number, software version number, part number indicative of a problem part, and total copy counter value.

FIG. 11 illustrates a reporting process for

10002743.032202

a formatted claim such as the claim report shown in
FIG. 9. This reporting process is a process to be
performed within the technical support system 1. This
process is performed when the claim report has been
5 issued in the reporting process illustrated in FIG. 5
and when a formatted claim report has been input by
choosing on the client web page. In this reporting
process, the CH section 14 performs in step ST301 a
search for the claim report on the basis of the claim
10 category, claim title, claim details and situation.
If it is determined in step ST302 that the claim report
has already been registered in the KB section 16,
an answering document is automatically produced in step
ST303 using the answer assisting module 14A and it is
15 issued to the major subsidiary. In this case, where
there is a solution to the claim report, the answer
assisting module 14A produces an answering document
based the solution. Where there is no solution, the
answer assisting module 14A produces an answering
20 document based on the state of progress in the
supporting task.

On the other hand, if the claim report is not
registered in the KB section 16, the content of the
claim report is checked in step ST304 as to whether
25 there is an item missing. If there is a missing item
in step ST305, the input of this item is requested on
the client web page in step ST306. After the input of

information of this item is detected in step ST307,
the KB section 16 is searched once again. If it is
determined that the claim report is not registered in
this case, too, it is confirmed in step ST304 that
5 there is no missing item. Then, in step ST308, the
claim report is newly registered in the KB section 16.

Subsequently, in step ST309, the CH section 14
performs a division designation process for assigning a
supporting task to a division-in-charge in the product
10 technology department, which is responsible for the
registered claim report. Specifically, the product
technology department is divided in advance into
divisions for design relating to machinery, electricity
and software, production, and specification. Thus, it
15 is found from the content of the claim report which
division is associated with the product model and the
cause.

Then, in step ST310, the CH section 14 adds
schedule management information to the claim report
20 registered in the KB section 16, and appends thereto
support backup documents obtained from the MIS section
12. The support backup documents comprise, for
example, supplemental information concerning the
importance or seriousness of the claim, the analysis
25 data of a field service call, the supply condition of
related service parts, the product PSI information, and
others. The schedule management information includes

100002743.0322002

data indicating the supporting task request date,
scheduled supporting task start date, actual supporting
task start date, scheduled supporting task completion
date, actual supporting task completion date, and the
5 division-in-charge. The data of the supporting task
request date and the division-in-charge are automati-
cally recorded by the CH section 14. The CH section 14
decides, in step ST311, the most suitable engineer for
resolving the claim, and requests a supporting task for
10 the claim report to the division-in-charge after adding
the engineer's name to the data of the division-in-
charge. This request is effected on an engineer web
page provided by the SIP section 10 on the Internet 26
or intra-company LAN. Besides, a message to the effect
15 that a solution to the claim report is now being
studied and a supporting task schedule are sent to
the subsidiary. The data of the scheduled supporting
task start date, actual supporting task start date,
scheduled supporting task completion date, and actual
20 supporting task completion date are input and recorded
on the engineer web page. In step ST312, it is checked
whether or not the assignment of the supporting task is
accepted by the engineer in charge. If the assignment
is not accepted, the supporting task is assigned to
25 the next prospective engineer. When the assignment is
accepted in the step ST312, in step ST313 the CH
section 14 confirms data indicating the scheduled

10002743.032200F

supporting task start date, scheduled supporting task completion date, and supervising engineer and engineer in charge input and recorded via the engineer web page.

Here, an assignment method of the supporting task will be described. FIG. 12 shows a supporting task table having records of the supporting tasks which have already been assigned to the engineers of the division-in-charge before registration of the new claim report. Here, the supporting tasks of claim ranks A, C, A, B, B are assigned to engineers #1, #2, #3, #4, #5 of the division-in-charge, and are in progress states of OS, DL, DL, DL, OS. Here, DL indicates that the task is delayed, and OS indicates that the task is on schedule. The claim ranks A, B, C have weighted points 5, 3, 1 as the ranks of importance of the supporting task, and the progress states OS, DL have weighted points of 1, 2. Busyness of each engineer is represented by a product of the point of the rank of importance and the point of the progress state, and added for each supporting task. In FIG. 12, since each of the engineers handles one supporting task, the total number of points is 5, 2, 10, 6, 3. Here, the total number of points of Engineer #5 is smallest among Engineers #1 to #5. Therefore, the CH section 14 speculates that Engineer #5 can start the supporting task earliest, and assigns the supporting task to Engineer #5.

According to the assignment method of the

supporting task, the CH section 14 determines an engineer who is to take charge of a supporting task for preparing a solution to the new claim report based on the ranks of importance of the supporting tasks presently assigned to the engineers of the division-in-charge, and progress states of these supporting tasks. That is, a supporting task having a high rank of importance, in preference to one having a low rank importance, can be assigned to an engineer who can quickly start it. As a result, delays in the supporting task for new claims can be prevented, regardless of importance. It is especially common for a number of claims to arrive upon release of a new product. However, conventionally, with the assignment of two or more supporting tasks per engineer, the period for dealing with claims is easily lengthened. The aforementioned assignment method is effective in avoiding delays caused by needless duplication of supporting tasks.

FIG. 13 shows an engineer information table provided together with the aforementioned supporting task table. The engineer information table can be changed with respect to the supporting task table depending upon the frequency of registration of the new claim reports, and is used to request the supporting task from the engineer, in consideration of schedule, field in charge, experience, technical level, and

the like of the engineer of the division-in-charge.

The first column holds data indicating engineer's names, and the second column holds data indicating the number of days the engineer can work, out of a total

5 number of days (10 days) in two weeks, excluding Saturdays and Sundays, starting from and including the next working day. For example, Engineer #1 stays in the factory for seven days, and is away from the

10 business trips or the like. Such a schedule of the engineer is recorded, for example, with reference to an in-company business schedule table held by the MDB section 18. The third column holds data indicating

15 product names designed/developed by the respective engineers. For example, Engineer #3 has a career involving designing/developing Product AA1. The fourth column holds data indicating the number of years of experience an engineer has in a copier division.

For example, Engineer #4 has six years of experience.

20 The fifth column holds data indicating the number of supporting tasks completed from operation start of the technical support system until now. Engineer #4 has experienced three supporting tasks. The number of supporting tasks is automatically updated in the system

25 upon completion of the supporting task. The sixth column holds data indicating a mechanism category of the product for which the engineer is responsible.

20220713.032200

The mechanism category corresponds to the unit code included in the claim report, and is recorded as a unit name or unit code. The seventh column holds data indicating the technical field the engineer works in, such as machinery, electricity, and process handled by the engineer.

In a first assignment method in which the aforementioned engineer information table is used, the CH section 14 reads the unit code from the new claim report, and flags the engineer who is responsible to the product of the mechanism category corresponding to the unit code in the table. When the new claim report relates, for example, to a sheet feeder unit, Engineers #1, #3, #4, #6 performing designs related with the sheet feeder are flagged. Since Engineers #3 and #6 have the most number of days in the schedule column among the four engineers, either of two is assigned to the supporting task for the new claim report. In this method, the engineer who has the maximum available time is selected from the engineers related to the corresponding product, in order to speedily process the claim derived from the market.

Moreover, the CH section 14 can consider the technical field in charge in addition to the aforementioned available time as a second assignment method. That is, even when a plurality of engineers are in charge of the same product, it is worthless to assign

the solution of the claim with respect to an electric problem to a mechanical designer. For such reason, the technical field in charge is considered in the assignment of the supporting task. That is, when only the number of days of the schedule column is considered, the supporting task may be assigned to either one of Engineers #3 and #6. However, when the technical field in charge is further considered, it is necessary to assign the supporting task to Engineer #6.

Moreover, in the aforementioned assignment, the supporting task is assigned to an engineer who is as technically familiar with the product as possible. Instead, as a third assignment method, the technical field may be referred to in order to cope with the case where none of the engineers determined from the schedule to have available time is a designer taking charge of the claimed product. In this case, an engineer who is not best but who is in an allowable range in performing the supporting task may be selected.

Furthermore, as a fourth assignment method, it is also possible to consider the design experience of the claimed product. When the engineer has design experience, there is also a high possibility that this engineer can grasp matters related to the problem, and is more preferable than an engineer having no design experience.

Additionally, in a fifth assignment method, after engineers having the time available are selected based on the schedule, the supporting task may be assigned to an engineer having the highest years of experience.

5 The engineer having more experience has ample knowledge and is therefore better than an engineer having fewer years of experience.

Moreover, as a sixth assignment method, the numeric value obtained by multiplying the number of
10 available days of the engineer's schedule by a predetermined coefficient and further adding the number of years of experience may be used to assign an engineer to the supporting task. For example, when the predetermined coefficient is assumed to be 1.5,
15 Engineer #1 has a value of $1.5 \times 7 + 8 = 18.5$, and Engineer #4 has $1.5 \times 8 + 6 = 18$. In this case, Engineer #1 is assigned to the supporting task as a result. This indicates that importance is placed on the schedule, but the best engineer is selected also in consideration
20 of the number of years of experience regardless of the allowance of the schedule.

Furthermore, as a seventh assignment method, an engineer having had a large number of supporting tasks may be selected. The product is designed in
25 consideration of various situations, but a user sometimes uses the product in a non-expected method. In this case, the engineer who has had a large number

10002743-032200
20220914-20001

of supporting tasks can find a superior solution from experience.

In the technical support system 1 of the aforementioned embodiment, the CH section 14 registers in the knowledge base section a new claim report in which at least a claim title is structured as a combination of predetermined items of definition information on the basis of the claim content input to the client web page, and manages the registered new claim report as an unsolved claim which requires an answer from an engineer. Therefore, it can be checked with a high precision whether or not a solution is already available with respect to the claim report. When the solution is found by a search, the claim can quickly be solved without requiring the engineer's answer.

Furthermore, as described above, the CH section 14 determines the supporting task for the new claim report based on the rank of importance of the supporting task already assigned to the engineer of the section in charge and the progress state of the supporting task. That is, the supporting task of high importance is given preference over one with low importance, so that it may be assigned to the engineer who can then start it at once.

In the aforementioned embodiment, the technical support system 1 which handles claims concerning the products such as copiers and facsimiles has been

described, but the present invention is not limited to this. Moreover, the present invention can be applied not only to a worldwide technical service network but also to a case in which a plurality of market areas exist in a single country. Furthermore, at least one of the SIP section 10, MIS section 12, CH section 14, KB section 16, MDB section 18, and DWH section 20 of the technical support system 1 may be composed of a server computer in which the application software with the functions described in the aforementioned embodiment is installed from a recording medium or downloaded via the interface 22.

Additional advantages and modifications will readily occur to those skilled in the art. Therefore, the invention in its broader aspects is not limited to the specific details and representative embodiments shown and described herein. Accordingly, various modifications may be made without departing from the spirit or scope of the general invention concept as defined by the appended claims and their equivalents.

WHAT IS CLAIMED IS:

1. A technical support system comprising:

a service information portal section which provides web pages as an information input and output interface;

a knowledge base section which stores various claim reports and solutions answered by engineers with respect to the claim reports; and

a claim handling section which registers in said knowledge base section a new claim report in which at least a claim title is structured as a combination of predetermined items of definition information on the basis of a claim content input to a client web page, and manages the registered new claim report as an unsolved claim requiring an answer from the engineer;

wherein the claim handling section is configured to determine an engineer who is to take charge of a supporting task for preparing a solution to the new claim report, based on ranks of importance of supporting tasks already assigned to engineers of a division-in-charge, and progress states of the supporting tasks.

2. The technical support system according to claim 1, wherein said claim handling section includes a supporting task table which holds records of the engineers each obtained as numeric value data by combining the ranks of importance of supporting tasks

assigned before registration of the new claim report and the progress states of the supporting tasks with a predetermined weighting, and a selecting section which makes selection of the engineers by comparing the numeric value data of the records held in said supporting task table.

3. The technical support system according to claim 2, wherein said claim handling section further includes an engineer information table which holds records of the engineers including at least one item selected from a schedule after the registration of the new claim report, a product designed as experience, the number of years of experience, the number of supporting tasks, a responsible unit, and a technical field, and said selecting section is configured to switch said supporting task table to said engineer information table upon increase in the number of newly-registered claim reports, and to make selection of the engineers with reference to a content of said engineer information table.

4. The technical support system according to claim 1, wherein said claim handling section further includes an assignment update section which selects the next prospective engineer when assignment of the supporting task is not accepted by the previously selected engineer.

5. A technical support method using a knowledge

base section which stores various claim reports and related solutions, said method comprising:

a step of providing web pages as an information input and output interface;

5 a step of registering in said knowledge base section a new claim report in which at least a claim title is structured as a combination of predetermined items of definition information on the basis of a claim content input to a client web page, and managing the
10 registered new claim report as an unsolved claim requiring an answer from the engineer; and

a step of determining an engineer who is to take charge of a supporting task for preparing a solution to the new claim report, based on ranks of importance
15 of supporting tasks already assigned to engineers of a division-in-charge, and progress states of the supporting tasks.

6. The technical support method according to claim 5, wherein said engineer determining step is
20 configured to use a supporting task table which holds records of the engineers each obtained as numeric value data by combining the ranks of importance of supporting tasks assigned before registration of the new claim report and the progress states of the supporting tasks
25 with a predetermined weighting, and to make selection of the engineers by comparing the numeric value data of the records held in said supporting task table.

100002743.032002

7. The technical support method according to claim 6, wherein said engineer determining step is configured to use an engineer information table which holds records of the engineers including at least one item selected from a schedule after the registration of the new claim report, a product designed as experience, the number of years of experience, the number of supporting tasks, a responsible unit, and a technical field, instead of said supporting task table upon increase in the number of newly-registered claim reports, and to make selection of the engineers with reference to a content of said engineer information table.

8. The technical support method according to claim 5, wherein said engineer determining step further configured to select the next prospective engineer when assignment of the supporting task is not accepted by the previously selected engineer.

9. A recording medium having a program recorded for a technical support system server including a claim handling section which registers in a knowledge base section a new claim report in which at least a claim title is structured as a combination of predetermined items of definition information on the basis of a claim content input to a client web page, and manages the registered new claim report as an unsolved claim requiring an answer from the engineer, said program

being executable for causing said claim handling section to perform a process of confirming ranks of importance of supporting tasks already assigned to engineers of a division-in-charge and progress states of the supporting tasks, and determining an engineer who is to take charge of a supporting task for preparing a solution to the new claim report, based on the ranks of importance of supporting tasks and the progress states of the supporting tasks.

10 10. The recording medium according to claim 9, wherein said program is configured such that said claim handling section performs a process of using a supporting task table which holds records of the engineers each obtained as numeric value data by combining the ranks of importance of supporting tasks assigned before registration of the new claim report and the progress states of the supporting tasks with a predetermined weighting, and making selection of the engineers by comparing the numeric value data of the records held in said supporting task table.

20 11. The recording medium according to claim 10, wherein said program is configured such that said claim handling section performs a process of using an engineer information table which holds records of the engineers including at least one item selected from a schedule after the registration of the new claim report, a product designed as experience, the number

of years of experience, the number of supporting tasks,
a responsible unit, and a technical field, and said
selecting section, instead of said supporting task
table upon increase in the number of newly-registered
5 claim reports, and making selection of the engineers
with reference to a content of said engineer
information table.

12. The recording medium according to claim 9,
wherein said program is configured such that said
10 claim handling section performs a process of selecting
the next prospective engineer when assignment of the
supporting task is not accepted by the previously
selected engineer.

10002743-032200

ABSTRACT OF THE DISCLOSURE

A technical support system includes an SIP section which provides web pages as an information input and output interface, a KB section which stores various claim reports and solutions related to the reports, and a CH section which registers in the KB section a new claim report in which at least a claim title is structured as a combination of predetermined items of definition information on the basis of a claim content input to a client web page, and manages the registered new claim report as an unsolved claim requiring an answer from the engineer. Particularly, the CH section is configured to determine an engineer who is to take charge of a supporting task for preparing a solution to the new claim report, based on ranks of importance of supporting tasks already assigned to engineers of a division-in-charge, and progress states of the supporting tasks.

10002743.032202
2022042200T